

Orion Mini Camera Geared Head (P-ORGH-MN)

Assembly Manual



■ What's In The Box

Please inspect the contents of your shipped package to ensure you have received everything that is listed below.



Proaim Orion Mini Geared Head



Tightening Knob



Bag Packing

All rights reserved.

No part of this document may be reproduced, stored in a retrieval system, or transmitted by any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, except as may be expressly permitted by the applicable copyright statutes or in writing by the Publisher.

Orion Mini Geared Head Setup

- Insert the thread of the Orion Mini Geared Head into the 100mm bowl tripod stand **(Not-Included)**.




- Secure the thread from the bottom with the tightening knob.



- Loosen the ratchet knob on the top plate of the Geared Head and press the push button on the other side.



- Slide out the top plate.



- Attach the plate to the camera base **(Not-Included)** and tighten its bolt with a screwdriver **(Not-Included)**. Then, slide the plate on the top of the Geared Head.


NOTE: Orion Mini Gear Head works with most of the DSLR Video Cameras with payload up to 15kg/33lb.




- Tighten the ratchet knob on the plate to secure the camera setup.



NOTE: The Geared Head has sturdy cranks for Panning & Tilting. The tilting crank offers one-axis movement and allows 45° tilting on each side. The panning crank offers 360° panning for accurate panoramic shots.



- There's a Backlash Control Knob present on the geared head. Tightening the knob will make the panning crank handles tight, and the handles will move smoothly when the knob is loosened.



- Orion Mini Geared Head Setup is ready to use.



YOUR PROAIM ORION MINI CAMERA GEARED HEAD ALL DRESSED UP AND READY TO GO!



(SHOWN WITH OPTIONAL ACCESSORIES)

Warranty: We offer one year warranty for our products from date of purchase. Within this period of time, we will repair it without charge for labor or parts. Warranty doesn't cover transportation costs nor does it cover a product subjected to misuse or accidental damage. Warranty repairs are subjected to inspection and evaluation by us.

Liability: We are not liable for damage caused by products that we do not supply or from mishandling in transit, accident, misuse, neglect, lack of care of the product, or service by anyone other than our company.

Contact Us: In case of any kind of dissatisfaction, please Contact us immediately and we promise our utmost support and care until you use our product.